



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

animal life in eastern North America with regard to its general environment, and makes the claim that while "temperature unquestionably does exert an influence in the distribution of living beings, . . . it is not the supreme cause of the present phase of dispersal." There is much to be said on this subject and Dr. Trotter's views are well worthy of careful consideration. It is fortunately true that by whatever names we call them and whatever rank we give them the larger life areas remain practically the same in all recent discussions. At the same time however we must recognize that there are in Eastern North America certain lines of demarkation in plant life due to causes other than temperature, and the regions thus separated carry with them corresponding differences in their animal life. Furthermore the boundary lines are far more pronounced than those separating certain zones based on purely climatic conditions. Like many another problem there are probably several factors involved, and we must consider each of them, if we are finally to arrive at a proper understanding of conditions as we find them.—W. S.

Thayer and Bangs on Chinese Birds.¹—This paper is a report upon a collection of '3135 beautifully prepared skins representing 358 species and subspecies obtained by Mr. W. R. Zappey in Central China. One new genus, five new species and seven new subspecies are described as follows: *Ithagenes wilsoni*, *Callocalia inopina pellos*, *Heteroxenicus cruralis formaster*, *Tesia grillator*, *Suthora unicolor canaster*, *Suthora zappeyi*, *Præpyga mutica*, *Oreocincla dauma socia*, *Reguloides maculipennis debilis*, *Prinia inornata exter*, *Sylviparus modestus occultus*, *Boanerges* (gen. nov. allied to *Perisoreus*), *internigrans*, all from western Szechwan. Eight additional new forms from this collection were described in a previous paper² and one in a later one.³ Full lists of localities from which specimens are obtained and often brief notes on plumage and habitat are given in the present contribution while there are some comments of a nomenclatorial character. *Hypsipetes* is found to be preoccupied and *Microscelis* is used instead but no further details or references are presented; *Dumeticola* is recognized as distinct from *Tribura*; *Chloris* is used in preference to *Ligurinus*; *Propasser* is not deemed worthy of recognition.—W. S.

Bangs on Some Birds from the Highlands of Siberia.⁴—In this paper Mr. Bangs reports on a collection of 287 bird skins obtained by Messrs. N. Hollister and Conrad Kein who accompanied Dr. Theodore

¹ Some Chinese Vertebrates. Memoirs Mus. Comp. Zool. Vol. XL, No. 4. Aves, By John E. Thayer and Outram Bangs, pp. 137-200. pll. 3-6. August, 1912.

² Bull. Mus. Comp. Zool. 1909, p. 139-141.

³ Proc. Biol. Soc. Wash., XXVI, pp. 95-96. May 3, 1913.

⁴ Some Birds from the Highlands of Siberia. By Outram Bangs, Bull. Mus. Comp. Zool., LIV., pp. 463-474. January, 1913.